

Puncture[®] free ANTI- PUNCTURE SEALANT



Application chart / Tableau Des Doses D'application
Tabla De Aplicacion / Tabella di Applicazione / Quadro de Aplicaco

Motorcycles, Scooters, Mopeds, Enduros and Motocross

This chart lists most tyre sizes in order of RIM size. Pages 3 and 4 of this chart list tyre sizes that are COMMON or relate to specific motorcycle types.

TYRE Size.	RIM	OKO MLS	TYRE Size.	RIM	OKO MLS	TYRE Size.	RIM	OKO MLS
Taille du Pneu	Jante		Taille du Pneu	Jante		Taille du Pneu	Jante	
Tamano del neumatico	Llanta		Tamano del neumatico	Llanta		Tamano del neumatico	Llanta	
Dim. Pneumatico			Dim. Pneumatico			Dim. Pneumatico		
Tamanho do Pneu			Tamanho do Pneu			Tamanho do Pneu		
6 Inch Rims			12 Inch Rims			15 Inch Rims		
4.50	6	100	4.5	12	200	M230 x 60	15	250
145 x 70	6	100	6.70	12	250	M120 x 70	15	200
130 x 90	6	100	110 / 70	12	150	M140 x 70	15	250
8 Inch Rims			M120 x 70	12	175	M180 x 70	15	275
70 x 100	8	100	M130 x 70	12	20	M130 x 80	15	250
3.00	8	100	140 x 70	12	200	M140 x 80	15	250
3.50	8	150	M120 x 80	12	175	M150 x 80	15	250
4.00	8	150	M80 x 90	12	150	M160 x 80	15	275
10 Inch Rims			M90 x 90	12	150	M170 x 80	15	300
130 x 60	10	150	M100 x 90	12	150	M130 x 90	15	250
120 x 70	10	150	M110 x 90	12	150	M140 x 90	15	250
M130 x 70	10	150	M80 x 100	12	150	M150 x 90	15	250
M90 x 80	10	150	M100 x 100	12	175	MU90	15	250
M100 x 80	10	150	M110 x 100	12	175	MV85	15	250
M110 x 80	10	150	13 Inch Rims			MV90	15	250
M120 x 80	10	150	M130 x 60	13	200	2.50	15	125
M80 x 90	10	100	140 x 60	13	200	2.75	15	125
M90 x 90	10	100	120 x 70	13	200	5.10	15	250
M100 x 90	10	150	M130 x 70	13	200	16 Inch Rims		
M110 x 90	10	150	M150 x 70	13	225	240/35	16	350
M120 x 90	10	150	M110 x 90	13	200	260/35	16	400
M130 x 90	10	150	14 Inch Rims			280/35	16	400
M80 x 100	10	100	M140 x 60	14	200	M240 x 50	16	350
M90 x 100	10	100	M160 x 60	14	250	M150 x 60	16	250
2.50	10	100	120/70	14	225	M180 x 60	16	275
2.75	10	100	140/70	14	225	M200 x 60	16	300
3.00	10	125	150/70	14	250	M120 x 70	16	200
3.50	10	150	M120 x 80	14	200	M130 x 70	16	225
4.00	100	150	M180 x 80	14	300	M170 x 70	16	275
5.40	10	200	M90 x 90	14	150	M180 x 70	16	300
6.70	10	250	M60 x 100	14	100	M80/80	16	175
11 Inch Rims			M90 x 100	14	150	M90 x 80	16	175
M235 x 8	11	250	2.25	14	100	100 x 80	16	200
M245 x 8	11	250	2.50	14	125	M110 x 80	16	200
12 Inch Rims			2.75	14	125	M120 x 80	16	200
3.00	12	125	3.00	14	150	M130 x 80	16	200
3.50	12	150	3.60	14	175	M140 x 80	16	225
						M150 x 80	16	250
						M160 x 80	16	275

Manufactured under license by The OKO Group. e mail: universal@oko.com Web Site: www.oko.com

Puncture[®] free ANTI- PUNCTURE SEALANT

Application chart / Tableau Des Doses D'application
Tabla De Aplicacion / Tabella di Applicazione / Quadro de Aplicaco

Motorcycles, Scooters, Mopeds, Enduros and Motocross

This chart lists most tyre sizes in order of RIM size. Pages 3 and 4 of this chart list tyre sizes that are COMMON or relate to specific motorcycle types.

TYRE Size.	RIM	OKO MLS	TYRE Size.	RIM	OKO MLS	TYRE Size.	RIM	OKO MLS
Taille du Pneu	Jante		Taille du Pneu	Jante		Taille du Pneu	Jante	
Tamano del neumatico	Llanta		Tamano del neumatico	Llanta		Tamano del neumatico	Llanta	
Dim. Pneumatico			Dim. Pneumatico			Dim. Pneumatico		
Tamanho do Pneu			Tamanho do Pneu			Tamanho do Pneu		
16 Inch Rims			17 Inch Rims			18 Inch Rims		
M80 x 90	16	175	M120 x 65	17	225	240/35	18	350
M90 x 90	16	175	M100 x 70	17	200	260/35	18	400
M100 x 90	16	200	M110 x 70	17	225	280/35	18	450
M110 x 90	16	200	M120 x 70	17	250	M300 x 35	18	450
M120 x 90	16	200	M130 x 70	17	250	M240 x 40	18	400
M130 x 90	16	225	M140 x 70	17	250	M250 x 40	18	400
M140 x 90	16	250	M150 x 70	17	275	M180 x 50	18	300
M80 x 100	16	175	M160 x 70	17	300	M180 x 55	18	300
M90 x 100	16	200	M180/70	17	350	M200 x 55	18	350
M130 x 100	16	225	M90 x 80	17	200	M130 x 60	18	250
MR85	16	200	M100 x 80	17	200	M140 x 60	18	250
MU85	16	200	M120 x 80	17	225	M150 x 60	18	300
MT90	16	225	M130 x 80	17	250	M160 x 60	18	300
MU90	16	250	M140 x 80	17	250	M170 x 60	18	325
2.00	16	100	M150 x 80	17	275	M180 x 60	18	325
2.25	16	125	M160 x 80	17	300	M120 x 70	18	250
2.50	16	125	M70 x 90	17	150	M130 x 70	18	250
2.75	16	125	M80 x 90	17	175	M140 x 70	18	275
3.00	16	150	M90 x 90	17	200	M150 x 70	18	300
3.50	16	150	M100 x 90	17	200	M160 x 70	18	300
4.25	16	200	M110 x 90	17	225	M100 x 80	18	200
4.60	16	225	M120 x 90	17	250	M110 x 80	18	225
5.00	16	250	M130 x 90	17	250	M120 x 80	18	250
17 Inch Rims			M70 x 100	17	150	M130 x 80	18	250
M300 x 40	17	400	M100 x 100	17	200	M140 x 80	18	275
M160 x 50	17	250	M110 x 100	17	250	M150 x 80	18	300
M180 x 50	17	300	MS90	17	225	M160 x 80	18	300
M190 x 50	17	300	MT90	17	225	M90 x 90	18	200
M200 x 50	17	350	2.00	17	100	M100 x 90	18	225
M160 x 55	17	300	2.25	17	125	M110 x 90	18	225
M170 x 55	17	300	2.50	17	150	M120 x 90	18	250
M180 x 55	17	300	3.00	17	175	M130 x 90	18	275
M190/55	17	325	3.25	17	175	M100 x 100	18	200
M120 x 60	17	200	3.50	17	200	M110 x 100	18	275
M130 x 60	17	250	3.75	17	200	M120 x 100	18	275
M140 x 60	17	250	4.50	17	225	MT80	18	250
M150 x 60	17	275	4.60	17	250	MP85	18	250
M160 x 60	17	300	5.00	17	275	MS85	18	250
M170 x 60	17	300	5.10	17	300	MT85	18	250

Manufactured under license by The OKO Group. e mail: universal@oko.com Web Site: www.oko.com

Puncture[®] free ANTI- PUNCTURE SEALANT



Application chart / Tableau Des Doses D'application
Tabla De Aplicacion / Tabella di Applicazione / Quadro de Aplicaco

Motorcycles, Scooters, Mopeds, Enduros and Motocross

This chart lists most tyre sizes in order of RIM size. Pages 3 and 4 of this chart list tyre sizes that are COMMON or relate to specific motorcycle types.

TYRE Size.	RIM	OKO MLS	TYRE Size.	RIM	OKO MLS	TYRE Size.	RIM	OKO MLS
Taille du Pneu	Jante		Taille du Pneu	Jante		Taille du Pneu	Jante	
Tamano del neumatico	Llanta		Tamano del neumatico	Llanta		Tamano del neumatico	Llanta	
Dim. Pneumatico			Dim. Pneumatico			Dim. Pneumatico		
Tamanho do Pneu			Tamanho do Pneu			Tamanho do Pneu		
18 Inch Rims			19 Inch Rims			The Harley Davidson		
ML90	18	200	3.50	19	200	MT90	16	225
MM90	18	200	3.60	19	200	M130 x 90	16	225
MN90	18	250	4.00	19	225	M130B x 90	16	250
MP90	18	250	4.10	19	225	M90 x 90	16	200
MR90	18	250	20 Inch Rims			M100 x 90	19	225
2.25	18	125	3.00	20	200	90 x 90	21	225
2.50	18	125	21 Inch Rims			3.00	21	200
2.75	18	150	M80 x 80	21	175			
3.00	18	175	M100 x 80	21	225	Classic Moped		
3.25	18	175	M80 x 90	21	175	2.75 x 46J	16	150
3.50	18	200	M90 x 90	21	225			
3.60	18	200	M70 x 100	21	200	Multi Use - Street and Dirt		
3.75	18	200	M80 x 100	21	200	150 x 70	17	275
3.78	18	200	MH90	21	225	130 x 80	17	250
4.00	18	225	2.50	21	175	140 x 80	17	250
4.10	18	225	2.75	21	200	120 x 90	17	250
4.25	18	225	3.00	21	200	5.10	17	300
4.50	18	250	3.25	21	200			
4.60	18	250	3.50	21	225	150 x 70	18	300
5.10	18	300	23 Inch Rims			110 x 80	18	225
19 Inch Rims			3.00	23	200	140 x 80	18	275
M120 x 70	19	250				120 x 90	18	250
M110 x 80	19	275				3.25	18	175
M70 x 90	19	150				3.50	18	200
M90 x 90	19	200				3.75	18	200
M100 x 90	19	225				3.78	18	200
M110 x 90	19	250				4.00	18	225
M120 x 90	19	250				4.10	18	225
M70 x 100	19	175						
M90 x 100	19	200				110 x 80	19	275
M100 x 100	19	225				100 x 90	19	225
M110 x 100	19	250						
MJ90	19	200				80 x 90	21	175
ML90	19	200				90 x 90	21	225
MM90	19	200				2.50	21	175
2.00	19	125				2.75	21	200
2.50	19	150				3.00	21	200
2.75	19	150						
3.00	19	175						

Manufactured under license by The OKO Group. e mail: universal@oko.com Web Site: www.oko.com

Puncture[®] free ANTI- PUNCTURE SEALANT



Application chart / Tableau Des Doses D'application
Tabla De Aplicacion / Tabella di Applicazione / Quadro de Aplicaco

Motorcycles, Scooters, Mopeds, Enduros and Motocross

This chart lists most tyre sizes in order of RIM size. Pages 3 and 4 of this chart list tyre sizes that are COMMON or relate to specific motorcycle types.

TYRE Size. Taille du Pneu Tamano del neumatico Dim. Pneumatico Tamanho do Pneu	RIM Jante Llanta	OKO MLS	TYRE Size. Taille du Pneu Tamano del neumatico Dim. Pneumatico Tamanho do Pneu	RIM Jante Llanta	OKO MLS	TYRE Size. Taille du Pneu Tamano del neumatico Dim. Pneumatico Tamanho do Pneu	RIM Jante Llanta	OKO MLS
Scooter and Mopeds			Cross Ply - All Round Use			Legal Sports Tyre for Super Moto		
130 x 60	10	150	100 x 80	16	200	M150 x 60	17	275
120 x 70	10	150	120 x 80	16	200	M160 x 60	17	300
130 x 70	10	150	2.75	16	125	M120 x 70	17	250
100 x 80	10	150						
90 x 90	10	100	130 x 70	17	250	Enduros and Scrambler		
100 x 90	10	150	90 x 80	17	200	150 x 70	17	275
120 x 90	10	150	100 x 80	17	200	130 x 80	17	250
130 x 90	10	150	110 x 80	17	225	140 x 80	17	250
3.50	10	100	120 x 80	17	250	120 x 90	17	250
			130 x 80	17	250			
120 x 70	12	175	140 x 80	17	250	110 x 100	18	275
130 x 70	12	200	80 x 90	17	175	4.10	18	225
140 x 70	12	200	130 x 90	17	250	4.25	18	225
110 x 90	12	150	2.50	17	150			
			2.75	17	175	110 x 80	19	275
130 x 60	13	200				110 x 90	19	250
140 x 60	13	200	130 x 70	18	250			
120 x 70	13	200	150 x 70	18	300	90 x 90	21	225
130 x 70	13	200	110 x 80	18	225	2.50	21	175
150 x 70	13	250	130 x 80	18	250	2.75	21	200
110 x 90	13	200	90 x 90	18	200			
			100 x 90	18	225	Sports Touring		
140 x 60	14	200	110 x 90	18	225	M190 x 50 ZR	17	300
120 x 70	14	225	120 x 90	18	250	M180 x 55 ZR	17	300
140 x 70	14	225	3.00	18	175	M120 x 60 ZR	17	200
150 x 70	14	250	3.50	18	200	M130 x 60 XR	17	250
110 x 80	14	200	4.00	18	225	M140 x 60 ZR	17	250
120 x 80	14	200				M150 x 60 ZR	17	275
2.25	14	100				M160 x 60 ZR	17	300
2.50	14	125				M170 x 60 ZR	17	300
2.75	14	125				M110 x 70 ZR	17	225
3.00	14	150				M120 x 70	17	250
						M130 x 70	17	250
2.50	15	125				M140 x 70	17	250
2.75	15	125				M150 x 70	17	275
110 x 70	16	200				M160 x 60	18	300
140 x 70	16	225				M110 x 80	18	225

Manufactured under license by The OKO Group. e mail: universal@oko.com Web Site: www.oko.com